

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

LISTING OF CLAIMS

1. (previously amended) A microfastening system comprising:
 a first fastening element including a plurality of extending nanotubes; and
 a second fastening element including a plurality of extending nanotubes;
 wherein the fastening elements comprise a substrate including an attachment surface and
a plurality of functionalized non-linear nanotubes, the nanotubes having a first end and a second
end, the nanotubes being attached at the first end to and extending from said attachment surface,
wherein the second end is free of the surface.

2-23 (previously canceled).

24. (previously presented) A microfastening system comprising:
 a first fastening element including a plurality of extending nanotubes; and
 a second fastening element including a plurality of extending nanotubes, wherein said
nanotubes of at least one of said fastening elements are selectively deformable;
 whereby upon joining said first and second fastening elements, the extending nanotubes
from each element become mechanically interconnected, wherein said fastening elements are
reusable.

25. (previously presented) The microfastening system of Claim 24 wherein said at least
one of first and second fastening elements further comprise a substrate from which said nanotubes
extend.

26. (previously presented) The microfastening system of Claim 25 wherein said
substrate is formed from materials selected from the group consisting of metals, carbon, silicon,
germanium, polymers and composites thereof.

27. (previously presented) The microfastening system of Claim 24 wherein said nanotubes are at least partially multi-walled.

28. (previously presented) The microfastening system of Claim 24 wherein the nanotubes are functionalized to a non-linear shape.

29. (previously presented) The microfastening system of Claim 28 wherein the non-linear nanotubes of said fastening element are selected from hooks, loops, spirals and combinations thereof.

30-34. (previously canceled)

35. (previously presented) A method of manufacturing a microfastener comprising the steps of:

- a) providing a substrate having an attachment surface;
- b) introducing a plurality of open ended selectively deformable non-linear nanotubes to said substrate whereby said nanotubes are attracted to said attachment surface and become affixed thereto, wherein said microfastener is reusable.

36. (previously presented) The method of Claim 35 wherein said nanotubes are functionalized prior to attaching to said substrate.

37-38. (previously canceled)

39. (previously presented) The method of Claim 35 wherein said substrate is formed from materials selected from the group consisting of metals, carbon, silicon, germanium, polymers and composites thereof.

40. (previously presented) The method of Claim 35 wherein said nanotubes are at least partially multi-walled.

41. (previously presented) The method of Claim 35 wherein the non-linear nanotubes of said microfastener are selected from hooks, loops, spirals and combinations thereof.

42. (previously presented) The method of Claim 35 wherein said nanotubes are attached to said substrate in the presence of an electric field.

43. (previously canceled)

44. (previously presented) A microfastening system comprising:
a first fastening element including a plurality of extending nanotubes; and
a second fastening element including a plurality of extending nanotubes, at least some of which
comprise nanotubes selected from the group consisting of

a) hooks, and

b) spirals,

whereby upon joining said first and second fastening elements, the extending nanotubes from each element become mechanically interconnected.

45. (previously presented) The microfastening system of Claim 44 wherein said at least one of first and second fastening elements further comprise a substrate from which said nanotubes extend.

46. (previously presented) The microfastening system of Claim 45 wherein said substrate is formed from materials selected from the group consisting of metals, carbon, silicon, germanium, polymers and composites thereof.

47. (previously presented) The microfastening system of Claim 44 wherein said nanotubes are at least partially multi-walled.

48. (previously presented) The microfastening system of Claim 44 wherein the nanotubes are functionalized to a non-linear shape.

49. (previously presented) The microfastening system of Claim 48 wherein the non-linear nanotubes of said first fastening element are selected from hooks, loops, spirals and combinations thereof.

50. (previously presented) The microfastening system of Claim 44 wherein said nanotubes of at least one of said fastening elements are selectively deformable.

51. (previously presented) The microfastening system of Claim 44 wherein said fastening elements are reusable.

52-56. (previously canceled)

57. (previously presented) A method of manufacturing a microfastener having nanotubes with two ends, comprising the steps of:

- a) providing a substrate having an attachment surface;
- b) introducing a plurality of open ended nanotubes to said substrate whereby said nanotubes are attracted to said attachment surface and become affixed thereto, wherein at least some of the nanotubes become affixed at only one end, wherein said microfastener is reusable.

58. (previously presented) The method of Claim 57 wherein said nanotubes are functionalized prior to attaching to said substrate.

59-60. (previously canceled)

61. (previously presented) The method of Claim 57 wherein said substrate is formed from materials selected from the group consisting of metals, carbon, silicon, germanium, polymers and composites thereof.

62. (previously presented) The method of Claim 57 wherein said nanotubes are at least partially multi-walled.

63. (previously presented) The method of Claim 57 wherein the non-linear nanotubes of said fastening element are selected from the group consisting of loops, hooks, spirals, and combinations thereof.

64. (previously presented) The method of Claim 57 wherein at least some of said nanotubes are selectively deformable.

65. (previously presented) The method of Claim 57 wherein said nanotubes are attached to said substrate in the presence of an electric field.

66. – 69. (previously canceled)

70. (previously amended) A microfastening system according to claim 1, wherein the substrate comprises material selected from the group consisting of metal, carbon, silicon, germanium, polymers, and composites thereof.

71. (previously amended) A microfastening system according to claim 1, wherein the nanotubes are at least partially multi-walled.

72. (previously canceled)

73. (previously amended) A microfastening system according to claim 1, wherein the non-linear nanotubes comprise hooks or spirals.

74. – 84. (previously canceled)

85. (currently amended) A microfastening system comprising
a first fastening element comprising a plurality of extending nanotubes; and
a second fastening element comprising a plurality of extending nanotubes,
wherein extending nanotubes from each element are disposed so as to become mechanically interconnected as the first and second fastening elements are joined by advancing toward each other, and
wherein extending nanotubes on both fastening elements are disposed so as to remain permanently fixed to their respective fastening elements during the action of advancing the elements toward each other, wherein the extending nanotubes comprise hooks or spirals.

86. (previously presented) A microfastening system according to claim 85, wherein the first and second fastening element comprise a substrate from which the nanotubes extend, the

substrate comprising a material selected from the group consisting of metal, carbon, silicon carbon, germanium, polymers, and composites thereof.

87. (previously presented) A microfastening system according to claim 85, wherein the nanotubes are at least partially multi-walled.

88. (canceled)